

LEGEND

- 1/2 HR SEPARATION - CONT. TO UNDERSIDE OF FLOOR/ROOF ASSEMBLY - SEE CODE COMPLIANCE SHEET G0.11
- ### REFERENCED DOOR TYPE AND SCHEDULE
- # REFERENCED WALL TYPES
- A REFERENCED WINDOW TYPES

GENERAL NOTES - FLOOR PLANS

1. SEE G0.02 - SHEET INDEX FOR GENERAL PROJECT NOTES, LEGENDS AND ABBREVIATIONS.
2. SEE A3.11 - ADA CODE SHEET FOR TYPICAL ACCESSIBLE MOUNTING HEIGHTS.
3. SEE G0.04 FOR WALL PARTITION TYPES.
4. DIMENSIONS ARE FACE OF GYPSUM BOARD, UNLESS NOTED OTHERWISE.
5. DOOR JAMBS (HINGE SIDE) SHALL BE 6" FROM CORNER IN STUD PARTITIONS UNLESS NOTED OTHERWISE.
6. REFER TO DETAILS FOR ADDITIONAL DIMENSIONING INFORMATION.
7. REFER TO ENLARGED PLANS FOR PARTITION TYPES AND DIMENSION IN AREAS WHICH ARE DETAILED AT A LARGER SCALE.
8. CONTRACTOR IS RESPONSIBLE FOR THE COORDINATION OF OWNER PROVIDED EQUIPMENT INCLUDED BUT NOT LIMITED TO DIMENSIONAL INFORMATION, AND MECHANICAL, ELECTRICAL AND PLUMBING REQUIREMENTS.
9. SEE INTERIOR ELEV. FOR GROMMETS IN CASEWORK.
10. PROVIDE DEPRESSED SLAB AT WASH ALCOVE AND SHOWERS TYP. (SEE STRUCT. FOUNDATION PLAN FOR SLAB THICKNESS).
11. COORDINATE AND PROVIDE BACKING AND BLKG REQ'D FOR CABINETS, GRAB BARS, HANDRAILS, MARKER BOARDS, TACK BOARDS, SHELVING AND OTHER EQUIPMENT AND HARDWARE PRIOR TO INSTALLING G.W.B. - CONT. X 6" 16 GA. FLAT STRAP W/ 2X6 MIN WOOD BLKG REQUIRED AT ALL GRAB BARS AND HANDRAIL LOCATIONS. CONT. X 8" 16 GA. FLAT STRAP BACKING OK AT ALL OTHER LOCATIONS.
12. PROVIDE WALL TO WALL SLOPED FLOORS AT TRENCH DRAINS AT APPARATUS BAYS
13. PROVIDE BLOCK OUTS AT EXTERIOR DOORS AND APPARATUS BAY DOORS TO POUR SLAB THROUGH OPENING WITH A SINGLE EXPANSION JOINT AS INDICATED.
14. WHERE CONTROL JOINTS TERMINATE AT AN INTERSECTING JOINT, HOLD SHORT AND FINISH WITH HAND SAW. OVERLAPPING SAW CUTS ARE NOT ALLOWED. CONTRACTOR TO PROVIDE A JOINT LAYOUT PLAN PRIOR TO PROCEEDING WITH THE WORK.
15. COORDINATE AND PROVIDE BACKING & BLKG REQ'D FOR CABINETS AND HARDWARE PRIOR TO INSTALLING G.W.B.
16. SEE G0.04 FOR WALL TYPES.
17. SEE ENLARGED PLANS FOR WALL TYPES IN THOSE AREAS
18. REFER TO CODE COMPLIANCE PLANS FOR FIRE EXTINGUISHER CABINETS AND RATED WALL LOCATIONS.



Project Number **21018**

Issue	Date
Bids/Permits	10/11/24
Bids/Permits	08/04/23
Final Site Plan	09/08/23
Design Development	05/22/23
Site Plan Approval	11/22/22
Site Plan Approval	09/22/22

Drawn/TCA/A3C Check/TCA/A3C


City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104

FIRST LEVEL FLOOR PLAN




115 1/2 E. LIBERTY STREET
ANN ARBOR, MI 48104
T: (734) 663-1910
F: (866) 732-2168
www.a3c.com

Sheet
A2.11



1 FLOOR PLAN - LEVEL 1
Scale: 1/8" = 1'-0"



LEGEND

- 1/2 HR SEPARATION - CONT. TO UNDERSIDE OF FLOOR/ROOF ASSEMBLY - SEE CODE COMPLIANCE SHEET G0.11
- ### REFERENCED DOOR TYPE AND SCHEDULE
- # REFERENCED WALL TYPES
- A REFERENCED WINDOW TYPES

GENERAL NOTES - FLOOR PLANS

1. SEE G0.02 - SHEET INDEX FOR GENERAL PROJECT NOTES, LEGENDS AND ABBREVIATIONS.
2. SEE A5.11 - ADA CODE SHEET FOR TYPICAL ACCESSIBLE MOUNTING HEIGHTS.
3. SEE G0.04 FOR WALL PARTITION TYPES.
4. DIMENSIONS ARE FACE OF GYPSUM BOARD, UNLESS NOTED OTHERWISE.
5. DOOR JAMBS (HINGE SIDE) SHALL BE 6" FROM CORNER IN STUD PARTITIONS UNLESS NOTED OTHERWISE.
6. REFER TO DETAILS FOR ADDITIONAL DIMENSIONING INFORMATION.
7. REFER TO ENLARGED PLANS FOR PARTITION TYPES AND DIMENSION IN AREAS WHICH ARE DETAILED AT A LARGER SCALE.
8. CONTRACTOR IS RESPONSIBLE FOR THE COORDINATION OF OWNER PROVIDED EQUIPMENT INCLUDED BUT NOT LIMITED TO DIMENSIONAL INFORMATION, AND MECHANICAL, ELECTRICAL AND PLUMBING REQUIREMENTS.
9. SEE INTERIOR ELEV. FOR GROMMETS IN CASEWORK.
10. PROVIDE DEPRESSED SLAB AT WASH ALCOVE AND SHOWERS TYP. (SEE STRUCT. FOUNDATION PLAN FOR SLAB THICKNESS).
11. COORDINATE AND PROVIDE BACKING AND BLK'G REQ'D FOR CABINETS, GRAB BARS, HANDRAILS, MARKER BOARDS, TACK BOARDS, SHELVING AND OTHER EQUIPMENT AND HARDWARE PRIOR TO INSTALLING G.W.B. CONT. X 6" 16 GA. FLAT STRAP W/ 2X6 MIN WOOD BLK'G REQUIRED AT ALL GRAB BARS AND HANDRAIL LOCATIONS. CONT. X 8" 16 GA. FLAT STRAP BACKING OK AT ALL OTHER LOCATIONS.
12. PROVIDE WALL TO WALL SLOPED FLOORS AT TRENCH DRAINS AT APPARATUS BAYS.
13. PROVIDE BLOCK CUTS AT EXTERIOR DOORS AND APPARATUS BAY DOORS TO POUR SLAB THROUGH OPENING WITH A SINGLE EXPANSION JOINT AS INDICATED.
14. WHERE CONTROL JOINTS TERMINATE AT AN INTERSECTING JOINT, HOLD SHORT AND FINISH WITH HAND SAW. OVERLAPPING SAW CUTS ARE NOT ALLOWED. CONTRACTOR TO PROVIDE A JOINT LAYOUT PLAN PRIOR TO PROCEEDING WITH THE WORK.
15. COORDINATE AND PROVIDE BACKING & BLK'G REQ'D FOR CABINETS AND HARDWARE PRIOR TO INSTALLING G.W.B.
16. SEE G0.04 FOR WALL TYPES.
17. SEE ENLARGED PLANS FOR WALL TYPES IN THOSE AREAS.
18. REFER TO CODE COMPLIANCE PLANS FOR FIRE EXTINGUISHER CABINETS AND RATED WALL LOCATIONS.



Project Number **21018**

Issue	Date
Bids/Permits	10/11/24
Bids/Permits	08/04/23
Final Site Plan	09/28/23
Design Development	05/28/23
Site Plan Approval	11/22/22
Site Plan Approval	09/22/22

Drawn: TCA/A3C Check: TCA/A3C


City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104

SECOND LEVEL FLOOR PLAN



115 1/2 E. LIBERTY STREET
ANN ARBOR, MI 48104
T: (734) 663-1910
F: (866) 732-2168
www.a3c.com

Sheet
A2.12



1 FLOOR PLAN - LEVEL 2
Scale: 1/8" = 1'-0"

GENERAL NOTES - ROOF

1. VERIFY LOCATION OF ROOF PENETRATION W/ MECHANICAL & PLUMBING DRAWINGS.
2. ALL AREAS TO BE FLAT STEEL DECK WITH TAPERED INSULATION.
3. ALL TAPERED INSULATION SHALL HAVE MIN. 1/4" PER FOOT.
4. SOLAR PANELS NOT SHOWN FOR CLARITY.
5. SEE G0.02 - SHEET INDEX FOR GENERAL PROJECT NOTES, LEGENDS AND ABBREVIATIONS.







Project Number	21018
Issue	Date
Bids/Permits	10/11/24
Bids/Permits	08/04/23
Design Development	05/26/23
Drawn	TCA/A3C
Checked	TCA/A3C

City of Ann Arbor
NEW FIRE STATION 4
 2415 S HURON PKWY
 ANN ARBOR, MI 48104

A3C
 COLLABORATIVE ARCHITECTURE

115 1/2 E. LIBERTY STREET
 ANN ARBOR, MI 48104
 T: (734) 663-1910
 F: (866) 732-2168
 www.a3c.com

1 ROOF PLAN - LOW ROOF
 Scale: 1/8" = 1'-0"



2 ROOF PLAN
 Scale: 1/8" = 1'-0"

10/14/2024 4:24:27 PM



Project Number **21018**


Issue	Date
Bids/Permits	10/11/24
Bids/Permits	08/04/23
Drawn: KJ/FEA	Checked: FEA

City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104


INTERIOR DOOR & WINDOW DETAILS




115 1/2 E. LIBERTY STREET
ANN ARBOR, MI 48104
T: (734) 663-1910
F: (866) 732-2168
www.a3c.com




13 JAMB DETAIL
Scale: 1 1/2" = 1'-0"




9 SILL DETAIL
Scale: 1 1/2" = 1'-0"




5 BAY DOOR THRESHOLD
Scale: 1 1/2" = 1'-0"




1 THRESHOLD DETAIL
Scale: 1 1/2" = 1'-0"




14 HEAD DETAIL
Scale: 1 1/2" = 1'-0"




10 HEAD DETAIL
Scale: 1 1/2" = 1'-0"




6 INT. HM. SILL
Scale: 1 1/2" = 1'-0"




2 INT. HM JAMB
Scale: 1 1/2" = 1'-0"




15 JAMB DETAIL
Scale: 1 1/2" = 1'-0"




11 JAMB DETAIL
Scale: 1 1/2" = 1'-0"




7 INT. ALUM. HEAD
Scale: 1 1/2" = 1'-0"




3 THRESHOLD TRANSITION DETAIL
Scale: 1 1/2" = 1'-0"




16 JAMB DETAIL
Scale: 1 1/2" = 1'-0"



12 HEAD DETAIL
Scale: 1 1/2" = 1'-0"



8 INT. ALUM. JAMB
Scale: 1 1/2" = 1'-0"



4 INT. HM HEAD
Scale: 1 1/2" = 1'-0"

10/11/2024 12:25:25 PM

FINISH SCHEDULE

NUMBER	ROOM	FLOOR	NORTH/WALL		EAST/WALL		SOUTH/WALL		WEST/WALL		CEILING		REMARKS	
			MATERIAL	FINISH	MATERIAL	FINISH	MATERIAL	FINISH	MATERIAL	FINISH	MATERIAL	FINISH		
101	VEST	CPT2	RUB4	GWB & WPS2	PT & FF	SF	FF	SF	FF	SF	FF	WPS1	FF	6
102	LOBBY	PC	--	GWB	PT2	GWB & WPS2 / SF	PT & FF	SF	FF	SF	FF	WPS1	FF	6
103T	PUBLIC RESTROOM	PC	CTB1	WRGWB/CT2	PT/FF	WRGWB/CT2	PT/FF	WRGWB/CT2	PT/FF	WRGWB/CT2	PT/FF	GWB	PT3	
104	MEETING ROOM	CP11	RUB4	GWB	PT	GWB	WPS2	GWB	PT2	SF	FF	ACT	FF	6
105	STOR.	PC	RUB4	GWB	PT	GWB	PT	GWB	PT	GWB	PT	ACT	FF	
106	JAN	PC	RUB4	GWB	PT	WRGWB	PT	WRGWB	PT	GWB	PT	GWB	PT3	
107	OFFICE	CP11	RUB4	GWB	PT2	GWB	PT	GWB	PT	GWB	PT	ACT	FF	
108T	STAFF RESTROOM	PC	CTB1	WRGWB/CT2	PT/FF	WRGWB/CT2	PT/FF	WRGWB/CT2	PT/FF	WRGWB/CT2	PT/FF	GWB	PT3	
109	HALL	PC	RUB4	--	--	--	--	GWB	PT	SF	FF	WPS1	FF	
110	HALL	PC	RUB4	--	--	GWB	PT	--	--	GWB	PT	WPS1	FF	
111	HALL	PC	RUB4	GWB	PT	GWB	PT	GWB	PT	SF	FF	WPS1	FF	
112	HALL	PC	RUB4	GWB	PT	GWB	PT	GWB	PT	SF	FF	WPS1	FF	
113	FF WORK AREA	PC	RUB4	GWB	PT	GWB	PT	GWB	PT	GWB	PT	ACT	FF	
114	ELEV	-	-	-	-	-	-	-	-	-	-	-	-	
115	FIRE POLE	PC	RUB4	GWB	PT	GWB	PT	--	--	SF	FF	WPS1	FF	
116	APP BAY	PC-2	CTB2	WRGWB/CT4	PT/FF	WRGWB/CT4	PT/FF	WRGWB/CT4	PT/FF	WRGWB/CT4	PT/FF	EXP	PT3	8
116A	ALCOVE	PC	CTB2	CT4	FF	CT4	FF	CT4	FF	CT4	FF	GWB	PT3	
116B	WASH ALCOVE	PC	CTB2	CT4	FF	--	--	CT4	FF	CT4	FF	BB	EP	
116C	ALCOVE	PC	CTB2	CT4	FF	CT4	FF	--	--	CT4	FF	GWB	PT3	
117	WATER SERVICE	PC	RUB4	GWB	PT	GWB	PT	GWB	PT	GWB	PT	EXP	PT3	
118	HOSE ALCOVE	PC	CTB2	CT4	FF	CT4	FF	CT4	FF	CT4	FF	GWB	PT3	5
119	SHOP	PC	RUB4	GWB	PT	GWB	PT	GWB	PT	GWB	PT	GWB	PT3	
120	COMPRESSOR	PC	RUB4	GWB	PT	GWB	PT	GWB	PT	GWB	PT	GWB	PT3	
121	SCBA	PC	RUB4	GWB	PT	GWB	PT	GWB	PT	GWB	PT	GWB	PT3	
122	EMS STORAGE	PC	RUB4	GWB	PT	GWB	PT	GWB	PT	GWB	PT	GWB	PT3	
123	DECON	PC	CB4	FRWC	FF	FRWC	FF	FRWC	FF	FRWC	FF	BB	EP	
124	CLEANING	PC	CB4	FRWC	FF	FRWC	FF	FRWC	FF	FRWC	FF	BB	EP	
125	TURNOUT GEAR	PC	CB4	FRWC	FF	FRWC	FF	FRWC	FF	FRWC	FF	BB	EP	
126T	BAY TOILET	PC	CB4	FRWC	FF	FRWC	FF	FRWC	FF	FRWC	FF	BB	EP	
127	DINING	PC	RUB4	--	--	GWB	PT	WPS4	FF	--	--	GWB	PT3	4
128	KITCHEN	PC	RUB4	GWB/CT1	PT/FF	GWB/CT1	PT/FF	--	--	--	--	GWB/WPS2	PT3/FF	
129	DAYROOM	PC	RUB4	GWB	PT2	GWB	PT	GWB	PT	GWB	PT	GWB/WPS3	PT3/FF	
130	EXERCISE	ATH	RUB4	HGWB	PT2	HGWB	PT	HGWB	PT	HGWB	PT	EXP	PT3	8
131	ELEC	PC	RUB4	GWB	PT	GWB	PT	GWB	PT	GWB	PT	EXP	--	
135	OUTDOOR STORAGE	PC	RUB4	HGWB	PT	HGWB	PT	HGWB	PT	HGWB	PT	EXP	--	
136	TRASH ENCLOSURE	PC	RUB4	HGWB	PT	HGWB	PT	HGWB	PT	HGWB	PT	EXP	--	
201	LNDRY	PC	RUB4	WRGWB	PT	WRGWB	PT	WRGWB	PT	WRGWB	PT	GWB	PT3	
202	CUSTODIAL	PC	RUB4	GWB	PT	GWB	PT	GWB	PT	GWB	PT	GWB	PT3	
203	MECH	PC	RUB4	GWB	PT	GWB	PT	GWB	PT	GWB	PT	EXP	--	
204	HALL	PC	RUB4	GWB	PT2	--	--	GWB	PT	GWB	PT	GWB	PT3	
205T	ADA TLT / SHWR	PC/CT3	CTB1	WRGWB/CT2	PT/FF	WRGWB/CT2	PT/FF	WRGWB/CT2	PT/FF	WRGWB/CT2	PT/FF	GWB	PT3	
206T	ADA TLT / SHWR	PC/CT3	CTB1	WRGWB/CT2	PT/FF	WRGWB/CT2	PT/FF	WRGWB/CT2	PT/FF	WRGWB/CT2	PT/FF	GWB	PT3	
207T	TLT / SHWR	PC/CT3	CTB1	WRGWB/CT2	PT/FF	WRGWB/CT2	PT/FF	WRGWB/CT2	PT/FF	WRGWB/CT2	PT/FF	GWB	PT3	
208	SLEEP RM	PC	RUB4	GWB	PT2	GWB	PT2	GWB	PT	GWB	PT	ACT	FF	
208A	ALCOVE	PC	RUB4	GWB	PT	GWB	PT	GWB	PT	GWB	PT	WPS1	FF	
209	SLEEP RM	PC	RUB4	GWB	PT2	GWB	PT2	GWB	PT	GWB	PT	ACT	FF	
209A	ALCOVE	PC	RUB4	GWB	PT	GWB	PT2	GWB	PT	GWB	PT	WPS1	FF	
210	SLEEP RM	PC	RUB4	GWB	PT2	GWB	PT2	GWB	PT	GWB	PT	ACT	FF	
210A	ALCOVE	PC	RUB4	GWB	PT	GWB	PT2	GWB	PT	GWB	PT	WPS1	FF	
211	SLEEP RM	PC	RUB4	GWB	PT2	GWB	PT2	GWB	PT	GWB	PT	ACT	FF	
211A	ALCOVE	PC	RUB4	GWB	PT	GWB	PT	GWB	PT	GWB	PT	WPS1	FF	
212	SLEEP RM	PC	RUB4	GWB	PT2	GWB	PT2	GWB	PT	GWB	PT	ACT	FF	
212A	ALCOVE	PC	RUB4	GWB	PT	GWB	PT	GWB	PT	GWB	PT	WPS1	FF	
213	SLEEP RM	PC	RUB4	GWB	PT2	GWB	PT2	GWB	PT	GWB	PT	ACT	FF	
213A	ALCOVE	PC	RUB4	GWB	PT	GWB	PT	GWB	PT	GWB	PT	WPS1	FF	
214	ELEV	-	-	-	-	-	-	-	-	-	-	-	-	
215	FIRE POLE	PC	RUB4	GWB	PT2	GWB	PT	GWB	PT	GWB	PT	WPS1	FF	
216	HALL	PC	RUB4	GWB	PT	GWB	PT	GWB	PT	GWB	PT	WPS1	FF	
217	OPER STOR	PC	RUB4	GWB	PT	GWB	PT	GWB	PT	GWB	PT	GWB	PT3	
218	ITSERVER	PC	RUB4	GWB	PT	GWB	PT	GWB	PT	GWB	PT	GWB	PT3	
219	SUB-ELEC	PC	RUB4	GWB	PT	GWB	PT	GWB	PT	GWB	PT	GWB	PT3	
220	HALL	PC	RUB4	GWB	PT	GWB	PT	GWB	PT	GWB	PT	WD	FF	
221	STOR.	PC	RUB4	GWB	PT	GWB	PT	GWB	PT	GWB	PT	GWB	PT3	
S-1-1	STAIR 1	-	-	-	-	-	-	-	-	PP1	FF	-	-	7
S-1-2	STAIR 1	-	-	-	-	-	-	-	-	PP1	FF	WPS1	FF	7
S-2-1	STAIR 2	-	-	WPS4	FF	-	-	GWB	PT	-	-	-	-	4
S-2-2	STAIR 2	-	-	GWB	PT2	-	-	GWB	PT	GWB	PT	WPS1	FF	

FINISH SCHEDULE KEY

FLOOR	WALL/ WAINSCOT	CEILING
PC	POLISHED CONC.	GWB GYPSUM WALL BD.
PC2	POLISHED CONC. W/ PETROTEX	HGWB IMPACT RESISTANT GYPSUM WALL BD.
	WRGWB WATER RESISTANT GYPSUM WALL BD.	EXP EXPOSED TO STRUCTURE
		BB BACKER BOARD
		FINISHES
		PT PAINT
		FF FACTORY FINISH
	CT CERAMIC TILE	EP EPOXY PAINT
	CB4 FIBER REINFORCED BASE	
	SF STOREFRONT	CASEWORK
		SLDS SOLID SURFACE
	FRWC FIBERGLASS FABRIC REINFORCED RESINOUS WALL SYSTEM	PL PLASTIC LAMINATE

FINISH SCHEDULE REMARKS:

- SEE INTERIOR ELEVATIONS AND PLANS FOR EXTENT OF CERAMIC TILE
- SEE INTERIOR ELEVATIONS AND PLANS FOR TACK AND MARKERBOARD LOCATIONS, TYP. INCLUDES W.R. GWB. REFER TO INT. ELEV. & SECTIONS FOR EXTENT.
- WOOD SLAT ACCENT WALL SYSTEM (SIMILAR TO WOOD CEILING AND WALL SYSTEMS) - SEE INTERIOR ELEVATIONS
- CERAMIC TILE TO 10'-0" FROM F.F.
- WOOD WALL SYSTEM (SIMILAR TO WOOD CEILING SYSTEM) - PAINT GWB BLACK BEHIND WOOD SYSTEM.
- PHENOLIC RESIN VERTICAL WALL PANEL ON INTERIOR - SAME PANEL USED ON EXTERIOR.
- PAINT ALL EXPOSED STEEL - EXPOSED COLUMNS AND EXPOSED CEILING AREAS.

FINISH SCHEDULE GENERAL NOTES:

- SEE REFLECTED CEILING PLANS FOR CEILING HEIGHTS
- SEE DETAILS FOR BACKER BOARD LOCATIONS
- SEE SHEET A2.42 FINISH PLANS FOR FURTHER INFORMATION

APPLIANCE SCHEDULE

CONTRACTOR FURNISHED / CONTRACTOR INSTALLED

CLEANING 124

WASHER-EXTRACTOR - UNIMAC UW1045N2, 45 LB CAPACITY (VERIFY THICKENED SLAB LOCATION & POSITION OF WASHER) (45.3" d. x 64.7" h. x 34.1" w.)

WASHER (STACKABLE)

WHIRLPOOL WHD5650SMW, 4.5 CU. FT., FRONT LOAD, WHITE (31.5625" d. x 38.625" h. x 27" w.)

DRYER (STACKABLE)

WHIRLPOOL WHD5650CHW, 7.4 CU. FT., VENTLESS, FRONT LOAD, WHITE (31" d. x 38.8125" h. x 27" w.)

KITCHEN 128

REFRIGERATOR (PROVIDE 3) - LG BOTTOM FREEZER LDIC2603S, 26 CU. FT., STAINLESS STEEL FINISH NO WATER LINE PROVIDED. NO ICE MACHINE REQUIRED. KIT TO REMOVE ICE MAKER. (34.88 d. (WHANDLES) x 69.88" h. x 32.75" w.)

RANGE (IN ISLAND) - BOSCH SHB661, 800 SERIES INDUCTION, 36" SLIDE-IN, STAINLESS STEEL FINISH (24.875" d. x 35.5375" h. x 36" w.)

RANGE HOOD

GREENHECK GRRS, 36" WIDE, FIRE READY RANGE HOOD (SEE MECHANICAL DRAWINGS FOR MORE INFORMATION) (23.5" d. x 12.5" h. x 36" w.)

ICE MACHINE

EDGESTAR IB250SS0D, 15 INCH WIDE, UNDERCOUNTER, STAINLESS STEEL FINISH (20.06" d. x 33.31" h. x 14.88" w.)

COFFEE MAKER

BUNN 38700.0011, AXIOM DV-TC, PROVIDE (2) 64oz THERMAL CARAFE PORTABLE SERVERS (22.5" d. x 17.8" h. x 9" w.)

DISHWASHER

BOSCH SHXN8JUS1C, 24" WIDE, UNDERCOUNTER, STAINLESS STEEL FINISH (23.75" d. x 33.875" h. x 23.5625" w.)

MICROWAVE (ON COUNTER)

GE PROFILE PES7272SS, 2.2 CU. FT., STAINLESS STEEL (19.75" d. x 14" h. x 24.125" w.)

LAUNDRY 201


WASHER - WHIRLPOOL WHD5650SMW, 4.5 CU. FT., FRONT LOAD, WHITE (31.5625" d. x 38.625" h. x 27" w.)

DRYER (PROVIDE 2)

WHIRLPOOL WHD5650CHW, 7.4 CU. FT., VENTLESS, FRONT LOAD, WHITE (31" d. x 38.8125" h. x 27" w.)

FINISH KEY

CODE	MATERIAL	MANUFACTURER	STYLE	COLOR	SIZE	MANF. CODE	NOTES
ACT	ACOUSTICAL CEILING TILE	ARMSTRONG	ULTIMA	WHITE	24"X24"X3/4"	1911	WHITE, PRELUDE 15/16" BEVELED TEGULAR
ATH	ATHLETIC FLOORING	TARKETT	INTERIA	LUNAR EXPLORER	24"X24"X3/8	LD7	
CPT1	CARPET TILE	SHAW CONTRACT	REVERSE TILE 5T069	VISTA	24"X24"	69481	MONOLITHIC PATTERN
CPT2	CARPET TILE	MANNINGTON	RUFFIAN II	EBONY EARTH	24"X24"	1506	ENTRY MAT
CT1	CERAMIC TILE	DALTILE	MESMERIST	CHARM	3"X12"	MM32	
CT2	CERAMIC TILE	DALTILE	MESMERIST	SPIRIT	3"X12"	MM30	
CT3	CERAMIC TILE	DALTILE	COLORWHEEL	MATTE DESERT GRAY	2"X2"	X714	SHOWER FLOOR
CT4	CERAMIC TILE	DALTILE	PORTFOLIO	DOVE GREY	12"X24"	PF04	STAGGERED PATTERN
CTB1	CERAMIC TILE BASE	DALTILE	MESMERIST	SPIRIT	3"X6"	MM30	SOLDIER COURSE
CTB2	CERAMIC TILE BASE	DALTILE	PORTFOLIO	DOVE GREY	6"X12"	PF04/P36C9	
FRWC	FIBER REIN. WALL SYSTEM	TNEMEC		ACROPOLIS		08WH	
PL1	PLASTIC LAMINATE	WILSONART		BEIGEWOOD		7850	
PL2	PLASTIC LAMINATE	WILSONART		WHITE TIGRIS		4783-60	
PT1	PAINT	SHERWIN WILLIAMS	EGG SHELL	NATURAL WHITE			



Project Number 21018

Issue	Date

Drawn: KLJ Checked: FEA

City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104

FINISH PLANS



115 1/2 E. LIBERTY STREET
ANN ARBOR, MI 48104
T: (734) 663-1910
F: (866) 732-2168
www.a3c.com

COLLABORATIVE ARCHITECTURE

Sheet


A2.42

LEGEND

- PAINTED AREA
- PT# → PAINT TAG
- T# ↓ FLOOR TRANSITION


GENERAL NOTES

1. REFER TO INTERIOR ELEVATIONS FOR PT1 & PT2
2. IF A PAINT COLOR IS NOT SPECIFIED FOR A WALL THEN THE WALL IS PT1, REFER TO FINISH SCHEDULE



3 T1 FLOOR TRANSITION

Scale: 3" = 1'-0"




2 LEVEL 2 FINISH PLAN

Scale: 3/32" = 1'-0"




1 LEVEL 1 FINISH PLAN

Scale: 3/32" = 1'-0"



2 NORTH ELEVATION
Scale: 1/8" = 1'-0"



1 EAST ELEVATION
Scale: 1/8" = 1'-0"



Project Number **21018**

Issue	Date
Bids/Permits	10/11/24
Bids/Permits	08/04/23
Final Site Plan	09/08/23
Design Development	05/28/23
Site Plan Approval	11/22/22
Site Plan Approval	09/22/22


Drawn: TCA/A3C Checked: TCA/A3C

City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104


EXTERIOR ELEVATIONS




115 1/2 E. LIBERTY STREET
ANN ARBOR, MI 48104
T: (734) 663-1910
F: (866) 732-2168
www.a3c.com



2 SOUTH ELEVATION
Scale: 1/8" = 1'-0"



1 WEST ELEVATION
Scale: 1/8" = 1'-0"



Project Number 21018

Issue	Date
Bids/Permits	10/11/24
Bids/Permits	08/04/23
Final Site Plan	09/08/23
Design Development	05/08/23
Site Plan Approval	11/22/22
Site Plan Approval	09/22/22

Drawn: TCA/A3C Checked: TCA/A3C

City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104

EXTERIOR ELEVATIONS

A3C
COLLABORATIVE ARCHITECTURE

115 1/2 E. LIBERTY STREET
ANN ARBOR, MI 48104
T: (734) 663-1910
F: (866) 732-2168
www.a3c.com



Project Number 21018

Issue	Date
Bids/Permits	10/11/24
Bids/Permits	06/04/23
Design Development	05/26/23

Drawn: KJ/SAD Checked: FEA


City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104

EXTERIOR ELEVATIONS




115 1/2 E. LIBERTY STREET
ANN ARBOR, MI 48104
T: (734) 663-1910
F: (866) 732-2168
www.a3c.com


Sheet
A3.13




4 EXTERIOR WINDOW ELEVATIONS
Scale: 1/4" = 1'-0"




3 PARTIAL EAST ELEVATION
Scale: 1/8" = 1'-0"




2 PARTIAL WEST ELEVATION
Scale: 1/8" = 1'-0"




1 PARTIAL NORTH ELEVATION
Scale: 1/8" = 1'-0"



3 BUILDING SECTION
Scale: 1/8" = 1'-0"



2 BUILDING SECTION
Scale: 1/8" = 1'-0"



1 BUILDING SECTION
Scale: 1/8" = 1'-0"



Project Number **21018**

Issue	Date
Bids/Permits	10/11/24
Bids/Permits	08/04/23
Final Site Plan	09/08/23
Design Development	05/28/23
Site Plan Approval	11/21/22
Site Plan Approval	09/22/22

Drawn TCA/A3C Check TCA/A3C

City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104


BUILDING SECTIONS




115 1/2 E. LIBERTY STREET
ANN ARBOR, MI 48104
T: (734) 663-1910
F: (866) 732-2168
www.a3c.com

COLLABORATIVE ARCHITECTURE


Sheet
A3.21



3 BUILDING SECTION
Scale: 1/8" = 1'-0"



2 BUILDING SECTION
Scale: 1/8" = 1'-0"



1 BUILDING SECTION
Scale: 1/8" = 1'-0"



Project Number	21018
Issue	Date
Bids/Permits	10/11/24
Bids/Permits	08/04/23
Final Site Plan	09/08/23
Design Development	05/26/23
Drawn	TCA/A3C
Checked	TCA/A3C


City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104

BUILDING SECTIONS




115 1/2 E. LIBERTY STREET
ANN ARBOR, MI 48104
T: (734) 663-1910
F: (866) 732-2168
www.a3c.com

GENERAL NOTES



3 BUILDING SECTION
Scale: 1/8" = 1'-0"

2 BUILDING SECTION
Scale: 1/8" = 1'-0"



1 BUILDING SECTION
Scale: 1/8" = 1'-0"



Project Number **21018**

Issue	Date
Bids/Permits	10/11/24
Bids/Permits	08/04/23
Design Development	05/26/23
Drawn/TCA/A3C	Checked/TCA/A3C

City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104

BUILDING SECTIONS




115 1/2 E. LIBERTY STREET
ANN ARBOR, MI 48104
T: (734) 663-1910
F: (866) 732-2168
www.a3c.com


COLLABORATIVE ARCHITECTURE

Sheet


A3.23




4 WALL SECTION
Scale: 1/2" = 1'-0"



3 WALL SECTION
Scale: 1/2" = 1'-0"



2 WALL SECTION
Scale: 1/2" = 1'-0"



1 WALL SECTION
Scale: 1/2" = 1'-0"



Project Number	21018
Issue	Date
Bids/Permits	10/11/24
Bids/Permits	08/04/23
Design Development	05/26/23
Drawn:	KJ
Checked:	FEA

City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104

WALL SECTIONS



115 1/2 E. LIBERTY STREET
ANN ARBOR, MI 48104
T: (734) 663-1910
F: (866) 732-2168
www.a3c.com

10/11/2024 12:26:59 PM



Project Number **21018**

Issue	Date
Bids/Permits	10/11/24
Bids/Permits	08/04/23
Design Development	05/26/23
Drawn: KJ	Checked: FEA

City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104

WALL SECTIONS




115 1/2 E. LIBERTY STREET
ANN ARBOR, MI 48104
T: (734) 663-1910
F: (866) 732-2168
www.a3c.com


COLLABORATIVE ARCHITECTURE

Sheet


A3.33



1 WALL SECTION
Scale: 1/2" = 1'-0"
A3.22, A3.23



2 WALL SECTION
Scale: 1/2" = 1'-0"
A3.23



3 WALL SECTION
Scale: 1/2" = 1'-0"
A3.23

10/11/2024 12:27:06 PM



Project Number 21018

Issue	Date
Bids/Permits	10/11/24
Bids/Permits	08/04/23
Design Development	05/26/23
Drawn: KJ	Checked: FEA

City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104

WALL SECTIONS




115 1/2 E. LIBERTY STREET
ANN ARBOR, MI 48104
T: (734) 663-1910
F: (866) 732-2168
www.a3c.com


COLLABORATIVE ARCHITECTURE

Sheet


A3.34




1 WALL SECTION
Scale: 1/2" = 1'-0"
A3.23




2 WALL SECTION
Scale: 1/2" = 1'-0"
A2.11, A3.13




3 WALL SECTION
Scale: 1/2" = 1'-0"
A3.13




4 WALL SECTION SOLAR COLLECTOR
Scale: 1/2" = 1'-0"
A3.12



3 WALL SECTION
Scale: 1/2" = 1'-0"
A2.12



2 WALL SECTION
Scale: 1/2" = 1'-0"
A2.11, A3.12



1 WALL SECTION
Scale: 1/2" = 1'-0"
A2.12



Project Number	21018
Issue	Date
Bids/Permits	10/11/24
Bids/Permits	08/04/23
Drawn:	KJ
Checked:	FEA

City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104

WALL SECTIONS



115 1/2 E. LIBERTY STREET
ANN ARBOR, MI 48104
T: (734) 663-1910
F: (866) 732-2168
www.a3c.com

10/11/2024 12:27:19 PM



Project Number **21018**


Issue	Date
Bids/Permits	10/11/24
Bids/Permits	08/04/23
Drawn: SAD	Checked: FEA

City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104


EXTERIOR DETAILS




115 1/2 E. LIBERTY STREET
ANN ARBOR, MI 48104
T: (734) 663-1910
F: (866) 732-2168
www.a3c.com




9 PLAN DETAIL
Scale: 1 1/2" = 1'-0"




5 PLAN DETAIL
Scale: 1 1/2" = 1'-0"




1 PLAN DETAIL
Scale: 1 1/2" = 1'-0"




10 PLAN DETAIL
Scale: 1 1/2" = 1'-0"




6 PLAN DETAIL
Scale: 1 1/2" = 1'-0"




2 PLAN DETAIL
Scale: 1 1/2" = 1'-0"




11 PLAN DETAIL
Scale: 1 1/2" = 1'-0"




7 PLAN DETAIL
Scale: 1 1/2" = 1'-0"



3 PLAN DETAIL
Scale: 1 1/2" = 1'-0"



8 PLAN DETAIL
Scale: 1 1/2" = 1'-0"



4 PLAN DETAIL
Scale: 1 1/2" = 1'-0"



Project Number **21018**

Issue	Date
Bids/Permits	10/11/24
Bids/Permits	08/04/23
Drawn:	KJ
Checked:	FEA

City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104


ROOF DETAILS



115 1/2 E. LIBERTY STREET
ANN ARBOR, MI 48104
T: (734) 663 - 1910
F: (866) 732 - 2168
www.a3c.com

Sheet

A3.61



1 ROOF HATCH & LADDER DETAIL
Scale: 1" = 1'-0"

GENERAL NOTES

1. PROVIDE FULL HEIGHT BACKER BD. WALLS & CLG. OF SHOWER ENCLOSURES AND MOP SINKS, TYP. PROVIDE WATER RESISTANT GWB AT ALL WET WALLS.
2. PROVIDE 2X BLOCKING FOR WALL MOUNTED MARKER TACK BOARDS, TVS, EQUIP., FURNISHINGS, ACCESSORIES, CABINETS, DOOR STOPS, BRACING, PLUMBING FIXTURES, ETC. - INCLUDING BLOCKING FOR ITEMS FURNISH BY OWNER. CONTRACTOR TO COORDINATE LOCATIONS W/ OWNER DURING ROUGH FRAMING.
3. REFER TO SHEET G0.04 FOR WALL TYPES AND FINISHES.
4. ADA RESTROOMS, FIXTURE MOUNTING HEIGHTS AND CLEARANCE REQUIREMENTS SHALL COMPLY WITH ICC A117.1 CHAPTER 6.
5. ELECTRICAL AND MECHANICAL UNITS ARE SHOWN FOR REFERENCE ONLY. REFER TO A5.11 FOR RESTROOM FIXTURE AND ACCESSORY DIMENSIONS NOT SHOWN.
6. SEE APPLIANCE & EQUIPMENT SCHEDULES ON SHEET A2.41 FOR ALL APPLIANCES AND EQUIPMENT.



Project Number **21018**

Issue	Date
Bids/Permits	10/11/24
Bids/Permits	08/04/23
Design Development	05/26/23

Drawn: TCA/A3C Checked: TCA/A3C









City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104

ENLARGED PLANS

A3C
COLLABORATIVE ARCHITECTURE

115 1/2 E. LIBERTY STREET
ANN ARBOR, MI 48104
T: (734) 663-1910
F: (866) 732-2168
www.a3c.com

Sheet **A4.11**



GENERAL NOTES

1. PROVIDE FULL HEIGHT BACKER BD. WALLS & CLG. OF SHOP ENCLOSURES AND MOP SINKS, TYP.
2. PROVIDE WATER RESISTANT GWB AT ALL WET WALLS
3. PROVIDE 2X BLOCKING FOR WALL MOUNTED MARKER/ TACK BOARDS, TVS, EQUIP., FURNISHINGS, ACCESSORIES, CABINETS, DOOR STOPS, BRACING, PLUMBING FIXTURES, ETC - INCLUDING BLOCKING FOR ITEMS FURNISH BY OWNER. CONTRACTOR TO COORDINATE LOCATIONS W/ OWNER DURING ROUGH FRAMING.
4. REFER TO SHEET G0.04 FOR WALL TYPES AND FINISHES
5. ADA RESTROOMS, FIXTURE MOUNTING HEIGHTS AND CLEARANCE REQUIREMENTS SHALL COMPLY WITH ICC A117.1 CHAPTER 6
6. ELECTRICAL AND MECHANICAL UNITS ARE SHOWN FOR REFERENCE ONLY. REFER TO A5.11 FOR RESTROOM FIXTURE AND ACCESSORY DIMENSIONS NOT SHOWN.
7. SEE APPLIANCE & EQUIPMENT SCHEDULES ON SHEET A2.41 FOR ALL APPLIANCES AND EQUIPMENT.



Project Number **21018**

Issue	Date
Bids/Permits	10/11/24
Bids/Permits	08/04/23
Design Development	05/28/23
Drawn/TCA/A3C	Checked/TCA/A3C

City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104




















INTERIOR ELEVATIONS



115 1/2 E. LIBERTY STREET
ANN ARBOR, MI 48104
T: (734) 663-1910
F: (866) 732-2168
www.a3c.com

Sheet

A4.12



10/14/2024 4:16:47 PM

GENERAL NOTES

1. PROVIDE FULL HEIGHT BACKER BD. WALLS & CLG. OF SHOWER ENCLOSURES AND MOP SINKS, TYP.
2. PROVIDE WATER RESISTANT GWB AT ALL WET WALLS
3. PROVIDE 2X BLOCKING FOR WALL MOUNTED MARKER/ TACK BOARDS, TVS, EQUIP., FURNISHINGS, ACCESSORIES, CABINETS, DOOR STOPS, BRACING, PLUMBING FIXTURES, ETC - INCLUDING BLOCKING FOR ITEMS FURNISH BY OWNER. CONTRACTOR TO COORDINATE LOCATIONS W/ OWNER DURING ROUGH FRAMING.
4. REFER TO SHEET G0.04 FOR WALL TYPES AND FINISHES
5. ADA RESTROOMS, FIXTURE MOUNTING HEIGHTS AND CLEARANCE REQUIREMENTS SHALL COMPLY WITH ICC A117.1 CHAPTER 6
6. ELECTRICAL AND MECHANICAL UNITS ARE SHOWN FOR REFERENCE ONLY. REFER TO A5.11 FOR RESTROOM FIXTURE AND ACCESSORY DIMENSIONS NOT SHOWN.
7. SEE APPLIANCE & EQUIPMENT SCHEDULES ON SHEET A2.41 FOR ALL APPLIANCES AND EQUIPMENT.



Project Number **21018**

Issue	Date
Bids/Permits	10/11/24
Bids/Permits	08/04/23
Design Development	05/26/23
Drawn/TCA/A3C	Checked/TCA/A3C


City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104

INTERIOR ELEVATIONS




115 1/2 E. LIBERTY STREET
ANN ARBOR, MI 48104
T: (734) 663-1910
F: (866) 732-2168
www.a3c.com


Sheet
A4.14




4 116 APP BAY - NORTH
Scale: 1/4" = 1'-0"



3 116 APP BAY - EAST
Scale: 1/4" = 1'-0"



2 116 APP BAY - SOUTH
Scale: 1/4" = 1'-0"



1 116 APP BAY - WEST
Scale: 1/4" = 1'-0"

GENERAL NOTES

1. PROVIDE FULL HEIGHT BACKER BD. WALLS & CLG. OF SHOWER ENCLOSURES AND MOP SINKS, TYP.
2. PROVIDE WATER RESISTANT GWB AT ALL WET WALLS
3. PROVIDE 2X BLOCKING FOR WALL MOUNTED MARKER/ TACK BOARDS, TVS, EQUIP., FURNISHINGS, ACCESSORIES, CABINETS, DOOR STOPS, BRACING, PLUMBING FIXTURES, ETC - INCLUDING BLOCKING FOR ITEMS FURNISH BY OWNER. CONTRACTOR TO COORDINATE LOCATIONS W/ OWNER DURING ROUGH FRAMING.
4. REFER TO SHEET G0.04 FOR WALL TYPES AND FINISHES
5. ADA RESTROOMS, FIXTURE MOUNTING HEIGHTS AND CLEARANCE REQUIREMENTS SHALL COMPLY WITH ICC A117.1 CHAPTER 6
6. ELECTRICAL AND MECHANICAL UNITS ARE SHOWN FOR REFERENCE ONLY. REFER TO A5.11 FOR RESTROOM FIXTURE AND ACCESSORY DIMENSIONS NOT SHOWN.
7. REFER TO A5.11 FOR RESTROOM FIXTURE AND ACCESSORY DIMENSIONS NOT SHOWN.
8. SEE APPLIANCE & EQUIPMENT SCHEDULES ON SHEET A2.41 FOR ALL APPLIANCES AND EQUIPMENT.

















Project Number **21018**

Issue	Date
Bids/Permits	10/11/24
Bids/Permits	08/04/23
Design Development	05/26/23


Drawn: TCA/A3C Checked: TCA/A3C

City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104

INTERIOR ELEVATIONS



CODE REQUIRED SIGNAGE



ROOM SIGNS & EXIT EGRESS SIGNS:

- SIGNS TO COMPLY WITH ICC/ANSI A117.1-2009 AND 2015 MBC, SECTION 1013 AND 1111.
- TACTILE SIGNAGE IS TO BE LOCATED NO LESS THAN 48" ABOVE THE FLOOR MEASURE TO THE BASELINE OF THE LOWEST RAISED CHARACTER AND NO MORE THAN 60" ABOVE FINISH FLOOR MEASURED TO THE BASELINE OF THE HIGH RAISED CHARACTER. TACTILE SIGNAGE TO BE LOCATED ON THE LATCH SIDE OF DOOR WHEN EVER POSSIBLE. REFER ALSO TO INTERIOR ELEVATIONS FOR LOCATIONS OF SIGNAGE.
- CHARACTERS AND THEIR BACKGROUND, AND PICTOGRAM AND THEIR FIELD SHALL HAVE A NON-GLARE FINISH. CHARACTERS AND PICTOGRAMS SHALL HAVE A HIGH CONTRAST WITH THEIR BACKGROUND OR FIELD.
- A SIGN STATING "EXIT" IN VISUAL CHARACTERS, RAISED CHARACTERS, AND BRAILLE, SHALL BE ADJACENT TO EACH DOOR TO AN AREA OF REFUGE, AN EXTERIOR AREA FOR ASSISTED RESCUE, AN EXIT STAIRWAY OR RAMP, AN EXIT PASSAGEWAY AND THE EXIT DISCHARGE. PER 2015 MBC, SECTION 1013.4.
- ADA SIGNAGE W/ INTERNATIONAL ACCESSIBILITY SYMBOL SHALL HAVE WHITE CHARACTERS, SYMBOLS, BRAILLE AND LETTERS ON A BLUE BACKGROUND.
- VERIFY OCCUPANT LOAD PRIOR TO FABRICATION.


DOOR CLEARANCES (PER ANSI A117.1-2009)

404.2.2 CLEAR WIDTH: DOORWAYS SHALL HAVE A CLEAR OPENING WIDTH OF 32 INCHES (815 MM) MINIMUM.

404.2.6 DOOR HARDWARE: HANDLES, PULLS, LATCHES, LOCKS, AND OTHER OPERABLE PARTS ON ACCESSIBLE DOORS SHALL HAVE A SHAPE THAT IS EASY TO GRASP WITH ONE HAND AND DOES NOT REQUIRE TIGHT GRASPING, PINCHING, OR TWISTING OF THE WRIST TO OPERATE. OPERABLE PARTS OF SUCH HARDWARE SHALL BE 34 INCHES (865 MM) MINIMUM AND 48 INCHES (1220 MM) MAXIMUM ABOVE THE FLOOR. WHERE SLIDING DOORS ARE IN THE FULLY OPEN POSITION, OPERATING HARDWARE SHALL BE EXPOSED AND USABLE FROM BOTH SIDES.

404.2.7 CLOSING SPEEDS: DOOR CLOSERS SHALL BE ADJUSTED SO THAT FROM AN OPEN POSITION OF 90 DEGREES, THE TIME REQUIRED TO MOVE THE DOOR TO AN OPEN POSITION OF 12 DEGREES SHALL BE SECONDS MINIMUM.

404.2.8 DOOR-OPENING FORCE: FIRE DOORS SHALL HAVE THE MINIMUM OPENING FORCE ALLOWABLE BY THE APPROPRIATE ADMINISTRATIVE AUTHORITY. THE FORCE FOR PUSHING OR PULLING DOORS OTHER THAN FIRE DOORS SHALL BE AS FOLLOWS: 5.0 POUNDS (22.2 N) MAXIMUM




WHERE A TACTILE SIGN IS PROVIDED AT A DOOR, THE SIGN SHALL BE LOCATED ALONGSIDE THE DOOR AT THE LATCH SIDE. WHERE A TACTILE SIGN IS PROVIDED AT DOUBLE DOORS WITH AN ACTIVE LEAF, THE SIGN SHALL BE LOCATED ON THE INACTIVE LEAF. WHERE A TACTILE SIGN IS PROVIDED AT DOUBLE DOORS WITH TWO ACTIVE LEAFS, THE SIGN SHALL BE LOCATED TO THE RIGHT HAND SIDE OF THE DOUBLE DOORS. WHERE THERE IS NO WALL SPACE AT THE LATCH SIDE OF A SINGLE DOOR OR THE RIGHT SIDE OF DOUBLE DOORS, SIGNS CONTAINING TACTILE CHARACTERS SHALL BE LOCATED ON THE NEAREST ADJACENT WALL. SIGNS CONTAINING TACTILE CHARACTERS SHALL BE LOCATED SO THAT A CLEAR FLOOR SPACE OF 18 INCHES MINIMUM BY 18 INCHES MINIMUM, CENTERED ON THE TACTILE CHARACTERS, IS PROVIDED, BEYOND THE ARC OF ANY DOOR SWING BETWEEN THE CLOSED POSITION AND 45 DEGREE OPEN POSITION. WHERE PROVIDED, SIGNS IDENTIFYING PERMANENT ROOMS AND SPACES SHALL BE LOCATED AT THE ENTRANCE TO THE OUTSIDE OF THE ROOM OR SPACE. WHERE PROVIDED, SIGNS IDENTIFYING EXITS SHALL BE LOCATED AT THE EXIT DOOR WHEN APPROACHED IN THE DIRECTION OF EGRESS TRAVEL.


ICC A117.1 TABLE 404.2.3.2-MANEUVERING CLEARANCES AT MANUAL SWINGING DOORS

TYPE OF USE	DOOR SIDE	MINIMUM CLEARANCES AT DOORS	
		PERPENDICULAR TO DOORWAY	BEYOND LATCH PARALLEL TO DOOR
FROM FRONT	PULL	60 INCHES (1525 MM)	18 INCHES (455 MM)
FROM FRONT	PUSH	48 INCHES (1220 MM)	0 INCHES (0 MM) ¹
FROM HINGE SIDE	PULL	60 INCHES (1525 MM)	36 INCHES (915 MM)
FROM HINGE SIDE	PULL	54 INCHES (1370 MM)	42 INCHES (1065 MM)
FROM HINGE SIDE	PUSH	42 INCHES (1065 MM) ¹	22 INCHES (560 MM) ^{3,4}
FROM LATCH SIDE	PULL	48 INCHES (1220 MM) ¹	24 INCHES (610 MM)
FROM LATCH SIDE	PUSH	42 INCHES (1065 MM) ²	24 INCHES (610 MM)

¹ADD 6 INCHES (150 MM) IF CLOSER AND LATCH PROVIDED.
²ADD 6 INCHES (150 MM) IF CLOSER PROVIDED.
³ADD 12 INCHES (305 MM) BEYOND LATCH IF CLOSER AND LATCH PROVIDED.
⁴BEYOND HINGE SIDE.



TYPICAL ACCESSIBLE MOUNTING HEIGHTS (PER ANSI A117.1-2009)



ACCESSIBLE TOILET AND BATHING ROOMS NOTES

GENERAL: ACCESSIBLE TOILET AND BATHING ROOMS SHALL COMPLY WITH ICC/ANSI CHAPTER 6 PLUMBING ELEMENTS AND FACILITIES AND MBC 2015 CHAPTER 12.

603.2 CLEARANCES

603.2.1 TURNING SPACE: A TURNING SPACE COMPLYING WITH SECTION 304 SHALL BE PROVIDED WITHIN THE ROOM. THE REQUIRED TURNING SPACE SHALL NOT BE PROVIDED WITHIN THE TOILET COMPARTMENT.

603.2.2 DOOR SWING: DOORS SHALL NOT SWING INTO THE CLEAR FLOOR SPACE OR CLEARANCE FOR ANY FIXTURE.

EXCEPTIONS:
1. DOORS TO A TOILET OR BATHING ROOM FOR A SINGLE OCCUPANT, ACCESSED ONLY THROUGH A PRIVATE OFFICE AND NOT FOR COMMON USE OR PUBLIC USE SHALL BE PERMITTED TO SWING INTO THE CLEAR FLOOR SPACE, PROVIDED THE SWING OF THE DOOR CAN BE REVERSED TO COMPLY WITH SECTION 603.2.2.
2. WHERE THE ROOM IS FOR INDIVIDUAL USE AND A CLEAR FLOOR SPACE COMPLYING WITH SECTION 305.3 IS PROVIDED WITHIN THE ROOM BEYOND THE ARC OF THE DOOR SWING, THE DOOR SHALL NOT BE REQUIRED TO COMPLY WITH SECTION 603.2.2.

603.3 MIRRORS: WHERE MIRRORS ARE LOCATED ABOVE LAVATORIES, A MIRROR SHALL BE LOCATED OVER THE ACCESSIBLE LAVATORY AND SHALL BE MOUNTED WITH THE BOTTOM EDGE OF THE REFLECTING SURFACE 40 INCHES (1015 MM) MAXIMUM ABOVE THE FLOOR. WHERE MIRRORS ARE LOCATED ABOVE COUNTERS THAT DO NOT CONTAIN LAVATORIES, THE MIRROR SHALL BE MOUNTED WITH THE BOTTOM EDGE OF THE REFLECTING SURFACE 40 INCHES (1015 MM) MAXIMUM ABOVE THE FLOOR.

603.4 COAT HOOKS AND SHELVES: COAT HOOKS SHALL BE LOCATED WITHIN ONE OF THE REACH RANGES SPECIFIED IN SECTION 308. SHELVES SHALL BE 40 INCHES (1015 MM) MINIMUM AND 48 INCHES (1220 MM) MAXIMUM ABOVE THE FINISHED FLOOR.

603.6 OPERABLE PARTS: OPERABLE PARTS ON TOWEL DISPENSERS AND HAND DRYERS SERVING ACCESSIBLE LAVATORIES SHALL COMPLY WITH IBC TABLE 603.6

IBC TABLE 603.6 MAXIMUM REACH DEPTH AND HEIGHT:

MAXIMUM REACH DEPTH	0.5 INCH (13 MM)	2 INCHES (51 MM)	5 INCHES (125 MM)	6 INCHES (150 MM)	9 INCHES (230 MM)	11 INCHES (280 MM)
MAXIMUM REACH HEIGHT	48 INCHES (1220 MM)	46 INCHES (1170 MM)	42 INCHES (1065 MM)	40 INCHES (1015 MM)	36 INCHES (915 MM)	34 INCHES (865 MM)




Project Number **21018**

Issue	Date
Bids/Permits	10/11/24
Bids/Permits	08/04/23
Design Development	05/26/23

Drawn: TCA/A3C Checked: TCA/A3C

City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104

ADA CODE SHEET



GENERAL NOTES - RCP:

- SEE ELECTRICAL DRAWINGS FOR FIXTURE TYPES
- SEE MECHANICAL & PLUMBING PLANS & SPECS FOR ADDITIONAL CEILING & WALL ACCESS PANELS AT MECHANICAL EQUIPMENT
- SEE G0.02 - SHEET INDEX FOR GENERAL PROJECT NOTES, LEGENDS AND ABBREVIATIONS.
- SEE FINISH SCHEDULE ON SHEET A2.41 FOR CEILING AND CEILING GRID TYPES.
- EXCEPT WHERE INDICATED, CENTER CEILING GRIDS IN ROOMS. USE HALF TILES OF GREATER @ PERIMETERS WHERE POSSIBLE.
- ALIGN CEILING ITEMS AS SHOWN, WITH COMMON CEILINGS TYPICALLY. CENTER ITEM SIN CEILINGS OR IN AREAS UNLESS INDICATED OTHERWISE.
- WHERE TEGULAR OR BEVELED TILE IS USED, PAINT ALL CUT EDGES TO MATCH.
- CAULK JOINT BETWEEN CEILING GRID (WALL ANGLE) AND WALL WHERE GAPS ARE GREATER THAN 1/8".
- PROVIDE ACCESS PANELS AS REQUIRED IN GWB CEILINGS FOR ACCESS AS REQUIRED BY ALL TRADES.
- FIRE SPRINKLERS SHALL BE CENTERED IN CEILING TILES OR HALF TILE. FIRE SPRINKLERS SHALL BE LOCATED IN ALIGNMENT WITH OTHER CEILING ITEMS AND SHALL BE PLACED IN COORDINATION WITH LIGHT FIXTURES POSITIONS INDICATED, TYPICAL.

RCP LEGEND:

	INDICATES GYPSUM BOARD CEILING: CEILING TYPE C2
	2 X 2 ACOUSTICAL PANEL CEILING: CEILING TYPE C1
	GYP. BACKERBOARD CEILING - SKIMCOAT FOR SMOOTH SURFACE AS REQUIRED
	ACOUSTICAL WOOD PANEL
	INDICATES 12x12 ACCESS PANEL - SEE DETAIL #4/A6.21
	SUSPENDED LIGHT FIXTURE
	UNDERCABINET LIGHT FIXTURE
	RECESSED LINEAR (2" & 6") IN WOOD PANEL CEILING
	LAY-IN RECESSED LIGHT FIXTURE
	RECESSED DOWNLIGHT
	WALL MOUNTED EXTERIOR LIGHT
	4" UTILITY LIGHT FIXTURE SUSPENDED AT EXPOSED CEILINGS AND SURFACE MOUNTED AT ALL OTHERS
	4" SUSPENDED HIGH BAY FIXTURE
	EXIT LIGHT
	RETURN AIR EXHAUST
	SUPPLY AIR
	WALL MOUNTED LIGHT
	RECESSED LINEAR IN EXTERIOR PHENOLIC PANEL ROOF OVERHANG
	SUSPENDED DECORATIVE LIGHT FIXTURE
	1/2 HR WALL EXTEND TO DECK ABOVE
	1 HR WALL EXTEND TO DECK ABOVE
	FINISH HEIGHT ABOVE FIN. FLOOR
	EXPOSED CEILING & OPEN FRAMING
	8" DIAMETER MECHANICAL CEILING FAN




Project Number	21018
Issue	Date
Bids/Permits	10/11/24
Bids/Permits	08/04/23
Design Development	05/26/23
Drawn	TCA/A3C
Checked	TCA/A3C


City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104
SECOND LEVEL REFLECTED CEILING PLAN



115 1/2 E. LIBERTY STREET
ANN ARBOR, MI 48104
T: (734) 663-1910
F: (866) 732-2168
www.a3c.com



1 REFLECTED CEILING PLAN - LEVEL 2
Scale: 1/8" = 1'-0"





Project Number **21018**


Issue	Date
Bids/Permits	10/11/24
Bids/Permits	08/04/23
Drawn:	KJ
Checked:	FEA

City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104


CEILING DETAILS

A3C
COLLABORATIVE ARCHITECTURE


115 1/2 E. LIBERTY STREET
ANN ARBOR, MI 48104
T: (734) 663-1910
F: (866) 732-2168
www.a3c.com




11 CEILING DETAIL
Scale: 1" = 1'-0"




10 CEILING DETAIL
Scale: 1" = 1'-0"




9 CEILING DETAIL
Scale: 1" = 1'-0"




8 CEILING DETAIL
Scale: 1" = 1'-0"




7 CEILING DETAIL
Scale: 1" = 1'-0"




3 CEILING DETAIL
Scale: 1" = 1'-0"




6 CEILING DETAIL
Scale: 1 1/2" = 1'-0"




5 CEILING SOFFIT DETAIL
Scale: 1 1/2" = 1'-0"



4 CEILING DETAIL ACCESS PANEL
Scale: 1 1/2" = 1'-0"



2 CEILING DETAIL
Scale: 1" = 1'-0"




1 CEILING DETAIL
Scale: 1" = 1'-0"




Project Number 21018

Issue	Date
Bids/Permits	10/11/24
Bids/Permits	08/04/23
Drawn: FEA/KJ	Checked: FEA



2 FIRE POLE DETAIL
Scale: 1" = 1'-0"



1 CEILING DETAIL
Scale: 1" = 1'-0"

City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104

CEILING DETAILS



115 1/2 E. LIBERTY STREET
ANN ARBOR, MI 48104
T: (734) 663-1910
F: (866) 732-2168
www.a3c.com

COLLABORATIVE ARCHITECTURE

Sheet

A6.22



Project Number 21018

Issue	Date
Bids/Permits	10/11/24
Bids/Permits	08/04/23
Design Development	05/26/23
Drawn/TCA/A3C	Check/TCA/A3C

City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104








ENLARGED STAIR & ELEVATOR PLANS



115 1/2 E. LIBERTY STREET
ANN ARBOR, MI 48104
T: (734) 663-1910
F: (866) 732-2168
www.a3c.com

Sheet

A7.11





Project Number **21018**

Issue	Date
Bids/Permits	10/11/24
Bids/Permits	08/04/23
Drawn:	KJ
Checked:	FEA

City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104


**STAIR & ELEVATOR
DETAILS**




115 1/2 E. LIBERTY STREET
ANN ARBOR, MI 48104
T: (734) 663-1910
F: (866) 732-2168
www.a3c.com

Sheet


A7.13




5 DETAIL
Scale: 1 1/2" = 1'-0"




4 DETAIL
Scale: 1 1/2" = 1'-0"




1 DETAIL
Scale: 1 1/2" = 1'-0"




2 TYP. GUARDRAIL & HANDRAIL DETAIL
Scale: 1 1/2" = 1'-0"




3 HANDRAIL DETAIL - WALL
Scale: 1 1/2" = 1'-0"




7 HANDRAIL MOUNTING - 2
Scale: 1 1/2" = 1'-0"




6 HANDRAIL MOUNTING - 1
Scale: 1 1/2" = 1'-0"




10 SHOWER ENCLOSURE SECTION
Scale: 3" = 1'-0"




9 ISOLATION JOINT
Scale: 1 1/2" = 1'-0"




7 DECON SINK LIP PROFILE
Scale: 6" = 1'-0"




6 DECON SINK
Scale: 3/4" = 1'-0"




5 WASHOFF SINK SECTION
Scale: 1 1/2" = 1'-0"




4 TRENCH DRAIN
Scale: 1 1/2" = 1'-0"



3 FIRE EXTINGUISHER CABINET
Scale: 1 1/2" = 1'-0"



2 CASEWORK DETAIL
Scale: 1" = 1'-0"



1 CASEWORK DETAIL
Scale: 1" = 1'-0"



Project Number **21018**

Issue	Date
Bids/Permits	10/11/24
Bids/Permits	08/04/23
DSAD/KJ/FEA	Checked: FEA

City of Ann Arbor
NEW FIRE STATION 4
2415 S HURON PKWY
ANN ARBOR, MI 48104

INTERIOR FINISH DETAILS



115 1/2 E. LIBERTY STREET
ANN ARBOR, MI 48104
T: (734) 663-1910
F: (866) 732-2168
www.a3c.com

Sheet
A8.12